

TestkingIT

Testking IT

> Contact Us Login / Register Search...

- HOME
- ALL VENDORS
- ★ GUARANTEE
- ? FAQ
- TESTIMONIALS
- CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.

- iMessenger
- VOREED
- GetCustom
- JET ORANGE
- iCompany
- Paradoxx



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

Exam : **1z0-419**

Title : Oracle Application
Development Framework 12c
Essentials

Vendor : Oracle

Version : DEMO

NO.1 Which three resources can be secured by using the declarative features of ADF security?

(Choose three)

- A. task flows
- B. pages that are not contained within a task flow
- C. attributes defined in entity objects
- D. specific rows of data
- E. stack traces
- F. PL/SQL procedures

Answer: A,B,C

NO.2 Your Business Components service has a view object (EmployeesView) with an attribute called Surname. Surname has the Tooltip Text control hint set to "This is the surname field". Where is the actual string for the tooltip defined? (Choose the best answer)

- A. in the view object definition file, for example, EmployeesView.xml
- B. in a string bundle file called ModelBundle.properties
- C. in ViewObjectImpl.java for the EmployeesView view object
- D. in the adf-config.xml file
- E. in a property set file with the default name PropertySet.xml

Answer: A

NO.3 Identify the two phases in the JSF life cycle that are always processed for a request, regardless if errors occur. (Choose two)

- A. Restore View
- B. Apply Request Values
- C. Process Validations
- D. Update Model Values
- E. Invoke Application
- F. Render Response

Answer: A,B

NO.4 Which option represents the expression you would use to determine if a user belongs to the administrator role? (Choose the best answer.)

- A. `#{securityContext.userInRoleadministrator'}}`
- B. `adf.context.securityContext.role.administrator`
- C. `#{securityContextuserGrantedResource [administrator1]}`
- D. `sfadfSecurity.userInRoleadministrator'}}`
- E. `adf.context.secuhtyContext.userInRole.administrator`

Answer: D

NO.5 Which statement is true about creating a method at the application module level? (Choose the best answer.)

- A. You cannot create methods at the application module level.
- B. Application module methods provide an interface for the view layer to call custom business logic

that may work across multiple data views.

- C. Application module methods are best suited to writing validation logic for entity objects.
- D. Methods in an application module allow you to manipulate UI components in the ViewController project
- E. Because ADF provides no way at run time to automatically create or delete view object records, you must create application module methods to do this.

Answer: B

NO.6 You want to configure an application so that users can shop for products anonymously without authentication, and must then authenticate after they enter the checkout process How would you enable this requirement? (Choose the best answer)

- A. Grant roles access rights to the task flow containing the checkout process
- B. Ensure the task flow containing the shopping process is unbounded
- C. Remove ADF Security for the application and replace it with Java EE Security for the task flow containing the checkout process
- D. Add a view containing a login form to the task flow containing the checkout process

Answer: D

NO.7 What should be in a managed bean, rather than a backing bean? (Choose the best answer.)

- A. code that manipulates the color of a text field on a JSF page
- B. data that is used to decide if a field is shown as mandatory or not
- C. data that is used on another page in the task flow
- D. code that opens a pop-up in the page

Answer: C

NO.8 Which statement is true about the difference between an Action binding and a methodAction binding? (Choose the best answer.)

- A. None; they are used interchangeably.
- B. An Action binding is a binding to a method defined in the business service exposed through a data control, whereas a methodAction binding is used to bin
- C. Both are bindings to methods defined in a business service, but an Action binding is used to bind to a UI component whereas a methodAction binding is 01
- D. Both are bindings to methods defined in a business service, but a methodAction binding is used to bind to a UI control whereas an Action binding is only a
- E. Action bindings are used to bind to built-in operations such as Create, Delete and Next, whereas a methodAction binding is used to bind to custom methoc

Answer: E