

# TestkingIT

Testking IT

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

**Exam** : **75940X**

**Title** : Avaya Converged Platform  
Integration Exam

**Vendor** : Avaya

**Version** : DEMO

**NO.1** The Storage dashlet contains a view of the status of the Host and Services related to the Storage.

By default, in which two places can this dashlet be viewed in Avaya Orchestrator? (Choose two.)

- A. The Host Status View
- B. The Home Dashboard
- C. The Rack View
- D. The Service Status View
- E. The Storage Dashboard

**Answer:** B,D

**NO.2** Why does enabling VMware Enhanced vMotion Compatibility (EVC) prevent vMotion migrations from failing?

- A. Because of incompatible HA rules across the cluster
- B. Because of insufficient memory across the cluster
- C. Because of incompatible CPUs across the cluster
- D. Because of incompatible DRS rules across the cluster

**Answer:** C

**NO.3** Aside from the difference in the depth of the enclosure, what other difference is there between the 48 Inch Model and 42 Inch Model of the ACP 4200 Avaya-branded Enclosure?


- A. The 48 Inch Model has a higher maximum weight compared to the 42 Inch Model.
- B. The 48 Inch Model has a higher maximum wattage capacity compared to the 42 Inch Model.
- C. There is no other difference between the 48 Inch Model and 42 Inch Model.
- D. The 48 Inch Model is only available in Grey while the 42 Inch Model is only available in Black.

**Answer:** B

Explanation

Reference <https://downloads.avaya.com/css/P8/documents/101054952> (15)

**NO.4** Refer to the exhibit.



display two Green status icon. What does this indicate?

- A. There are two IP addresses associated with each server and both are responsive.
- B. The servers are paired together for redundancy purposes.
- C. There are two Power Supplies associated with each server and both are responsive.
- D. The servers are very healthy.

**Answer:** D

**NO.5** What is the purpose of VMware vMotion as used in ACP 4200?

- A. It dynamically allocated and balances computing capacity across the logical resource pools.
- B. It creates a pool of virtual disk space that can be shared by multiple virtual machines.
- C. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.
- D. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.

**Answer:** C

**NO.6** What is a benefit of using Virtual Router Redundancy Protocol (VRRP) on the VSP switches in

the ACP 4200?

- A.** It allows you to connect to the switches for management access.
- B.** It ensures the end systems do not need to change their gateway IP address in the event of a fail-over.
- C.** It allows the end systems to automatically change their gateway IP address in the event of a fail-over.
- D.** It creates virtual Layer 2 connections for the VMs.

**Answer:** C