

# TestkingIT

Testking IT

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

**Exam** : **C100DBA**

**Title** : MongoDB Certified DBA  
Associate Exam (Based on  
MongoDB 4.4)

**Vendor** : MongoDB

**Version** : DEMO

**NO.1** What is the replication factor for a replicated cluster with 1 primary, 3 secondaries with one of them hidden. The set also has an arbiter?

- A. None of the above
- B. 5
- C. 3
- D. 4

**Answer:** D

**NO.2** You perform the following query on the sayings collection, which has the index { quote : "text" }:

Assuming the documents below are in the collection, which ones will the following query return? Check all that apply.

db.sayings.find( { \$text : { \$search : "fact find" } } )

- A. { \_id : 3, quote : "Nobody will ever catch me." }
- B. { \_id : 1, quote : "That's a fact, Jack." }
- C. { \_id : 2, quote : "Find out if that fact is correct." }

**Answer:** B,C

**NO.3** Which mongodb tool is used to report details on number of database operations in MongoDB?

- A. mongorestore
- B. mongostat
- C. mongodump
- D. mongotop

**Answer:** B

**NO.4** In a replica set, a \_\_\_\_\_ number of members ensures that the replica set is always able to select a primary.

- A. Even
- B. Odd
- C. 2
- D. Depends on the application architecture

**Answer:** B

**NO.5** What tool do you use to see if you have a problem in the consumption of disk I / O?

**Answer:** Mongoperf

**NO.6** In a collection that contains 100 post documents, what does the following command do? db.posts.find().skip(5).limit(5)

- A. Skip and limit nullify each other. Hence returning the first five documents.
- B. Skips the first five documents and returns the next five
- C. Limits the first five documents and then return them in reverse order
- D. Skips the first five documents and returns the sixth document five times

**Answer:** B

**NO.7** Which of the following are valid json documents? Select all that apply.

- A. {"a":1, "b":{"b":1, "c":"foo", "d":"bar", "e":[1,2,4]}}
- B. {"city":"New York", "population", 7999034, boros:{"queens", "manhattan", "staten island", "the bronx", u "brooklyn"}}
- C. {"name":"Fred Flintstone";"occupation":"Miner";"wife":"Wilma"}
- D. { }

**Answer:** A,D

**NO.8** Which of the following does MongoDB use to provide High Availability and fault tolerance?

- A. Sharding
- B. Indexing
- C. Replication
- D. Write Concern

**Answer:** C

**NO.9** Which mongodb tools allow us to work with our data in a human readable format?

- A. mongoexport
- B. mongostat
- C. mongoimport
- D. mongodump

**Answer:** A,C

**NO.10** What is the output of following two commands in MongoDB: db.posts.insert({\_id:1})  
db.posts.insert({\_id:1})

- A. Two documents will be inserted with \_id as 1
- B. MongoDB will automatically increment the \_id of the second document as 2
- C. This will throw a duplicate key error
- D. It will insert two documents and throw a warning to the user

**Answer:** C

**NO.11** Which of the following command is used to get all the indexes on a collection?

- A. db.collection.showIndexes()
- B. db.collection.findIndexes()
- C. db.showIndexes()
- D. db.collection.getIndexesQ

**Answer:** D

**NO.12** Consider the following posts document:

```
{
  _id: 1,
  post_text: "This is my first post",
  author: "Tom",
  tags: ["tutorial", "quiz", "facebook", "learning", "fun"]
}
```

Which of the following queries will return the documents but with only the first two tags in the tags array?

- A. `db.posts.find({author:"Tom"}.limit({tags:2})`
- B. `db.posts.find({author:"Tom"}.limit($slice:{tags:2})`
- C. Both "`db.posts.find({author:"Tom"},{tags:{$slice:2}})`" and "`db.posts.find({author:"Tom"}).limit($slice: {tags:2})`" are valid. `$slice` works both with projection and limit.
- D. `db.posts.find({author:"Tom">},{tags:{$slice:2})`

**Answer:** D

**NO.13** 'mongoimport' command is used for

- A. Batch data insertion
- B. None of the above
- C. Multiple command import
- D. Multiple command insertion

**Answer:** A