

TestkingIT

Testking IT

> Contact Us

Login / Register

Search...



HOME


ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.

iMessenger

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

Exam : **C2070-991**

Title : IBM FileNet P8 V5.2.1,
Deployment Professional

Vendor : IBM

Version : DEMO

NO.1 In the Web Applications tab of a workflow system, a P8 administrator defined and selected Workplace XT as the default web application.

For what purpose(s) does the workflow system use the above information?

- A. To get the server base URL to provide Process Engine Web Service.
- B. To launch the Process Engine applets (e.g. Process Configuration Console).
- C. To determine the email notification template and the server base URL to provide Process Engine web service.
- D. To determine the email notification template and the locations of launch and step processors for the workflows that are processed in the workflow system.

Answer: C

NO.2 After a recent corporate merger, the two companies need to merge their P8 environments into a single P8 repository using a single LDAP repository. To accomplish this task, FileNet Deployment Manager will be used.

What steps are required to make sure that the LDAP user information is remapped from the "source" LDAP repository to the "destination" LDAP repository.

- A. In the Source-Destination Pairs, right click on "Object Store Map" and select "Map Data".
- B. When creating the export manifest, select the userids to remap when creating the export manifest.
- C. Mapping LDAP users from different LDAP repositories is not a feature of FileNet Deployment Manager.
- D. Create the security principalhalf maps followed by a right click on "Security Principal Map" and selecting "Map Data" from within Source-Destination Pairs.

Answer: D

Explanation:

Reference:

http://www01.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/com.ibm.p8.common.deploy.doc/deploy_mgr_howto_security_principal_data_map.htm

NO.3 A company is planning to deploy IBM Content Navigator (ICN) to be used with an IBM FileNet Content Manager (FCM) V5.2.1 repository.

To configure ICN with the correct FCM client connector files, what steps should be followed? (Select two)

- A. No additional steps are needed to connect to a FCM repository.
- B. Run the FileNet Deployment manager to update the ICN client connector files.
- C. In the ICN Configuration Manager run the Update theIBM FileNet P8 Client Connector Files task.
- D. Copy the JACE.jar file from the FCM Server to the ICN servers and place in the ECMClient plugins folder.
- E. The CPEClient installer matching the FCM server version should be run on the ICN server to update the P8 Client Connector Files.

Answer: A,C

NO.4 A P8 system administrator is preparing to upgrade the Process Engine in an IBM FileNet P8 V5.1

environment to V5.2.1.

What instructions need to be issued to stop the Process Engine before the upgrade?

- A. Logon to the Process Engine server as fnsw and issue an 'initfnsw -y stop' command.
- B. Logon to the WebSphere Administration Console and stop the IBM Content Platform Engine.
- C. Logon to the Process Engine and issue a 'Process_Engine_installation_directory/stoppemgr' command.
- D. Logon to the Process Engine server as fnsw, open Process Task Manager, select the Process Services node and click stop.

Answer: C

NO.5 An insurance company has finished configuring a new IBM FileNet P8 Content Manager system and needs to validate the object store and the storage area created are functional.

Which of the following tests would indicate a success?

- A. Log onto the Workplace XT, manually launch a subscription workflow.
- B. Log onto the FileNet Enterprise Manager and create a file storage area.
- C. Log onto the Administration Console for Content Engine and initialize a region.
- D. Log onto the Administration Console for Content Engine and add a document to the file storage area.

Answer: B

NO.6 A deployment specialist running configPE.bat(CPIT) in an IBM WebSphere Application Server (WAS) environment installs IBM FileNet Content Platform Engine V5.2 in a Microsoft Windows environment. It fails giving an out-of-memory error.

The java.lang.OutOfMemoryError: Java heap space error message in the SystemOut.log file for WAS indicates that the Java Virtual Machine ran out of heap space.

As a deployment specialist, which two following steps need be taken to address this issue? (Select two.)

- A. Do not replace or change the cpit.properties file.
- B. Run 5.2.1-CPIT-WIN.exe after emptying the recycle bin.
- C. In WebSphere Admin console enable Verbose Garbage collection.
- D. Do not delete the Tivoli Directory Services, CE, WAS and Workspace XT subfolders from decompressed folder.
- E. Increase the maximum and minimum heap sizes for the Java Virtual Machine on the system where the Composite Platform Installation Tool ran.

Answer: B,E